

MACHINE-DATA

Machinetype	: Aluminium Circular Saw
Make	: MEP
Type	: COBRA 352 MA 2G
Year	:
Control type	:
Control	:
Storage location	: Ahaus
Origin	: Italy
Delivery time	: by appointment
Quotation	: ex works Ahaus, free loading
Price	: on request



TECHNICAL DATA

saw blade diameter	350 x 32 mm
capacity 90 degrees: round	120 mm
capacity 90 degrees: square	105 mm
capacity 90 degrees: flat	180 x 70 mm
capacity 45 degrees: round	120 mm links
capacity 45 degrees: round	110 mm rechts
capacity 45 degrees: square	100 mm links
capacity 45 degrees: square	95 mm rechts
capacity 45 degrees: flat	135 x 60 mm
dimensions of saw-blade	350 x 32
turning speeds	1700 / 3400 U/min
capacity 45 degrees: round	120 mm
total power requirement	1,5 / 2,2 kW
weight of the machine ca.	210 kg
dimensions of the machine ca.	1170 x 860 x 1600 mm

TECHNICAL DESCRIPTION

Description:

manual high-performance circular saw for cuts from
45 ° right to 45 ° left in aluminum and lightweight
metal alloys, with 2 speeds

Furnishing:

- with pneumatic vices
- The saw head can be tilted by 45 ° on one side
- Heavy cast iron construction

- ensures vibration-free operation and maximum precision
- The head can also be tilted up to 45 °
- Powerful, 2-stage drive with double V-belts
- large turntable with bearings
- Lubrication device with mechanical diaphragm pump
- Extraction nozzle for connecting a chip extractor

Scope of delivery:

- Adjustable length stop 600 mm
- tool kit
- Instructions with wiring diagram
- Crane eyes for transport
- * The machine is delivered without a saw blade

Special accessories:

- including base

VIDEO-LINKS



WEB-LINK

https://lagermaschinen.de/maschinen-datenblatt/Aluminium_Circular_Saw/MEP/COBRA_352_MA_2G/1008-816001

MACHINE PICTURES

© A + B Werkzeuge Maschinen Handels GmbH



© A + B Werkzeuge Maschinen Handels GmbH

Schnittbereich RUND 0°:	120 mm
Schnittbereich RUND 45° li.:	120 mm
Schnittbereich RUND 45° re.:	110 mm
Schnittbereich VIERKANT 0°:	105 mm
Schnittbereich VIERKANT 45° li.:	100 mm
Schnittbereich VIERKANT 45° re.:	95 mm
Schnittbereich FLACH 0°:	180 x 70 mm
Schnittbereich FLACH 45° li.:	135 x 60 mm
Schnittbereich FLACH 45° re.:	135 x 60 mm
Schnittbereich RUND 45° geneigt:	50 mm
Schnittbereich FLACH 45° geneigt:	160 x 35 mm / 180 x 20 mm
Schnittbereich VIERKANT 45° geneigt:	50 mm
Technische Daten	
Sägeblatt:	350 x 32 mm
Motor:	1,5 / 2,2 kW
Geschwindigkeit:	1700 / 3400 Upm
Abmessungen, Gewicht	
Gewicht:	160 kg / 210 kg(MA)